## An unusually large squamous cell carcinoma mass arising from the lower lip

A. Feily, N. Pazyar, E. Rafeie, A. Khazanee, and M. R. Namazi

## 

squamous cell carcinoma, lip

Squamous cell carcinoma (SCC) of the lip is a relatively common malignancy of the head and neck region (1). Tumor thickness, grading, and perineural invasion are significant prognostic indicators (1).

We report an 81-year-old, otherwise healthy woman presenting with a huge friable mass originating from her lower lip. The lesion had started as a small papule 8 years before. It later became eroded and ulcerative and transformed into a slow growing, flesh-colored mass that began interfering with her speaking and eating. Radiologic studies showed no evidence of bone involvement. The lesion was diagnosed histopathologically as squamous cell carcinoma. The patient was advised to undertake palliative treatment such as surgery or chemotherapy, but she refused any intervention.

## REFERENCES

1. Somma P, Lo Muzio L, Mansueto G, Delfino M, Fabbrocini G, Mascolo M, Mignogna C, Di Benedetto M, Carinci F, De Lillo A, Pastore L, Serpico R, De Rosa G, Staibano S. Squamous cell carcinoma of the lower lip: FAS/FASL expression, lymphocyte subtypes and outcome. Int J Immunopathol Pharmacol. 2005 Jan-Mar;18(1):59–64.

## AUTHORS' ADDRESSES

Amir Feily, MD, Resident of Dermatology, Department of Dermatology, Jondishapur University of Medical Sciences, Ahvaz, Iran
Nader Pazyar, MD, Resident of Dermatology, same address
Esmaeil Rafeie, MD, Resident of Dermatology, same address
Ahmad Khazanee, MD, Resident of Dermatology, same address
Mohammad Reza Namazi, MD, Assistant Professor of Dermatology,
Medicinal and Natural Products Chemistry Research Center and
Dermatology Department, Shiraz University of Medical Sciences, Shiraz,
Iran, corresponding author, E-mail: namazi mr@yahoo.com

